

# TRUCK Solutions

## FYLDESTATION

[www.texa.com](http://www.texa.com)

**TEXA**

## KONFORT A/C recharge stations

The KONFORT 700 range is made up of innovative models with different specifications and operating modes for the high precision of vehicle air conditioning systems. The range is produced on an assembly line that is the only one of its kind in the world to ensure the ultimate in quality and lasting reliability. The exceptional characteristics of their components guarantee a refrigerant recovery rate of over 95%. An essential, stylish design combines with easy handling, sturdiness and safety to make all A/C system maintenance operations quick and easy.



# KONFORT 760R BUS

The KONFORT 760R BUS is the ideal solution for carrying out A/C system maintenance and refrigerant recharging on all heavy goods vehicles. This highly-automated workstation - recommended by the world's leading vehicle manufactures - implements advanced technology and features a total of eight registered international patents. The 760R BUS has been designed specifically for large A/C systems. The operating software installed reflects the strictest SAE standards in terms of precision and accuracy. Using a vast array of sensors, the KONFORT 760R BUS can manage refrigerant identification and recharging operations with unprecedented precision. An evolved TFT colour display follows all the phases of the automated recharge cycle, displaying images, graphics and data screens. Any malfunction encountered is flagged up and identified by a detailed error message. A removable memory (SD card) allows the station to communicate with a stand-alone Windows PC for the purpose of updating the database of makes and models, checking and certifying completed maintenance operations, and upgrading software when necessary. The KONFORT 760R BUS can be fitted with a refrigerant identifier kit to prevent contamination between refrigerants and to detect the presence of counterfeit products in the vehicle's air-conditioning system.

## Main features

- R134a or R1234yf compatible
- High visibility colour TFT display with interface Graphics
- DATABASE/SERVICE management via SD card
- Rotating gauge display
- 30 Kg internal tank
- +/- 15 gr load precision
- High efficiency refrigerant recovery (above 95%)
- Dual stage vacuum pump
- Hermetically sealed bottles
- Automatic high precision oil injection
- Automatic oil bottle recognition
- Automatic precise refrigerant measurement check
- Scale lock system
- Automatic service procedure management
- Functionality:
  - DATABASE
  - PERSONALISED SERVICE
  - MY DATABASE
- Multilingual software
- Automatic service hose length compensation
- Automatic maintenance alarm
- Simplified maintenance
- Automatic management of uncondensable product

## Optional

Flushing Kit, VDC Kit, Climate efficiency kit, refrigerant identifier kit, thermal printer, air conditioning system autodiagnosics.